

NITRATE LEACHING INDEX
Noble County, Indiana

Page 1 Of 3

| County | Mapunit Symbol | Mapunit Name | Compname | INN03 Leach Index |
|--------------------------|-------------------|---|---------------|-------------------------|
| Noble County, Indiana | Ad | Adrian muck | Adrian | 12 |
| Noble County, Indiana | Am | Adrian muck, drained | Adrian | 12 |
| Noble County, Indiana | Au | Aubbeenaubbee fine sandy loam | Aubbeenaubbee | 17 |
| Noble County, Indiana | BlA | Blount silt loam, 0 to 2 percent slopes | Blount | 14 |
| Noble County, Indiana | BlB2 | Blount silt loam, 2 to 4 percent slopes, eroded | Blount | 14 |
| Noble County, Indiana | BoB | Boyer loamy sand, 2 to 6 percent slopes | Boyer | 17 |
| Noble County, Indiana | BoC | Boyer loamy sand, 6 to 12 percent slopes | Boyer | 17 |
| Noble County, Indiana | BoD2 | Boyer loamy sand, 12 to 18 percent slopes, eroded | Boyer | 17 |
| Noble County, Indiana | Br | Brady sandy loam | Brady | 17 |
| Noble County, Indiana | Bx | Brookston silt loam | Brookston | 17 |
| Noble County, Indiana | CcC3 | Casco sandy clay loam, 8 to 15 percent slopes, severely eroded | Casco | 17 |
| Noble County, Indiana | ChB | Chelsea fine sand, 2 to 6 percent slopes | Chelsea | 12 |
| Noble County, Indiana | ChC | Chelsea fine sand, 6 to 12 percent slopes | Chelsea | 12 |
| Noble County, Indiana | CrA | Crosier loam, 0 to 2 percent slopes | Crosier | 14 |
| Noble County, Indiana | Ed | Edwards muck | Edwards | 12 |
| Noble County, Indiana | Em | Edwards muck, drained | Edwards | 17 |
| Noble County, Indiana | FoA | Fox sandy loam, 0 to 2 percent slopes | Fox | 17 |
| Noble County, Indiana | FoB | Fox sandy loam, 2 to 6 percent slopes | Fox | 17 |
| Noble County, Indiana | FoC2 | Fox sandy loam, 6 to 12 percent slopes, eroded | Fox | 17 |
| Noble County, Indiana | FsD2 | Fox-Casco sandy loams, 12 to 18 percent slopes, eroded | Fox | 17 |
| Noble County, Indiana | FsE2 | Fox-Casco sandy loams, 18 to 25 percent slopes, eroded | Fox | 17 |
| Noble County, Indiana | Fu | Fulton silt loam | Fulton | 12 |
| Noble County, Indiana | Gf | Gilford sandy loam | Gilford | 17 |
| Noble County, Indiana | Gp | Pits | Pits | 10 |
| Noble County, Indiana | HaA | Haskins loam, 0 to 2 percent slopes | Haskins | 14 |
| Noble County, Indiana | Hh | Homer loam | Homer | 17 |
| Noble County, Indiana | Hm | Houghton muck | Houghton | 12 |
| Noble County, Indiana | Ho | Houghton muck, drained | Houghton | 12 |
| Noble County, Indiana | La | Lake borders | Lake borders | 10 |
| Noble County, Indiana | Ma | Marl beds | Marl beds | 10 |

NATURAL RESOURCES CONSERVATION SERVICE

XXX 00/00/99

NITRATE LEACHING INDEX--Continued
Noble County, Indiana

Page 2 Of 3

| County | Mapunit Symbol | Mapunit Name | Compname | INN03 Leach Index |
|--------------------------|-------------------|--|--------------|-------------------------|
| Noble County, Indiana | Mb | Marsh | Marsh | 10 |
| Noble County, Indiana | MdB | Martinsville fine sandy loam, 2 to 6 percent slopes | Martinsville | 17 |
| Noble County, Indiana | MeB | Metea loamy fine sand, 2 to 6 percent slopes | Metea | 17 |
| Noble County, Indiana | MfB2 | Miami loam, 2 to 6 percent slopes, eroded | Miami | 17 |
| Noble County, Indiana | MfC2 | Miami loam, 6 to 12 percent slopes, | Miami | 17 |

| | | | | | |
|---------------|------|-------------------------------------|---------|----|--|
| Indiana | | eroded | | | |
| Noble County, | MfD2 | Miami loam, 12 to 18 percent | Miami | 7 | |
| Indiana | | slopes, eroded | | | |
| Noble County, | MfE2 | Miami loam, 18 to 25 percent | Miami | 7 | |
| Indiana | | slopes, eroded | | | |
| Noble County, | MgC3 | Miami clay loam, 6 to 12 percent | Miami | 7 | |
| Indiana | | slopes, severely eroded | | | |
| Noble County, | MgD3 | Miami clay loam, 12 to 18 percent | Miami | 7 | |
| Indiana | | slopes, severely eroded | | | |
| Noble County, | MhA | Miami loam, gravelly substratum, 0 | Miami | 7 | |
| Indiana | | to 2 percent slopes | | | |
| Noble County, | MhB2 | Miami loam, gravelly substratum, 2 | Miami | 7 | |
| Indiana | | to 6 percent slopes, eroded | | | |
| Noble County, | Mn | Milford silty clay loam | Milford | 7 | |
| Indiana | | | | | |
| Noble County, | MrB2 | Morley silt loam, 2 to 6 percent | Morley | 4 | |
| Indiana | | slopes, eroded | | | |
| Noble County, | MrC2 | Morley silt loam, 6 to 12 percent | Morley | 4 | |
| Indiana | | slopes, eroded | | | |
| Noble County, | MrD2 | Morley silt loam, 12 to 18 percent | Morley | 4 | |
| Indiana | | slopes, eroded | | | |
| Noble County, | MsC3 | Morley silty clay loam, 6 to 12 | Morley | 4 | |
| Indiana | | percent slopes, severely eroded | | | |
| Noble County, | MsD3 | Morley silty clay loam, 12 to 18 | Morley | 4 | |
| Indiana | | percent slopes, severely eroded | | | |
| Noble County, | MtE | Morley soils, 28 to 25 percent | Morley | 4 | |
| Indiana | | slopes | | | |
| Noble County, | MuC2 | Morley, Miami, and Rawson loams, 6 | Morley | 4 | |
| Indiana | | to 12 percent slopes, eroded | | | |
| Noble County, | OsB | Oshtemo loamy sand, 2 to 6 percent | Oshtemo | 7 | |
| Indiana | | slopes | | | |
| Noble County, | OsC | Oshtemo loamy sand, 6 to 12 percent | Oshtemo | 7 | |
| Indiana | | slopes | | | |
| Noble County, | OtA | Oshtemo sandy loam, 0 to 2 percent | Oshtemo | 7 | |
| Indiana | | slopes | | | |
| Noble County, | Pb | Palms muck, drained | Palms | 12 | |
| Indiana | | | | | |
| Noble County, | PdA | Parr loam, 0 to 2 percent slopes | Parr | 7 | |
| Indiana | | | | | |
| Noble County, | Pe | Pewamo silty clay loam | Pewamo | 4 | |
| Indiana | | | | | |
| Noble County, | RaB | Rawson sandy loam, 2 to 6 percent | Rawson | 7 | |
| Indiana | | slopes | | | |
| Noble County, | RaC2 | Rawson sandy loam, 6 to 12 percent | Rawson | 7 | |
| Indiana | | slopes, eroded | | | |
| Noble County, | RbA | Rawson loam, 0 to 2 percent slopes | Rawson | 7 | |
| Indiana | | | | | |
| Noble County, | RbB | Rawson loam, 2 to 6 percent slopes | Rawson | 7 | |
| Indiana | | | | | |
| Noble County, | RdB2 | Rawson, Morley, and Miami loams, 2 | Rawson | 7 | |
| Indiana | | to 6 percent slopes, eroded | | | |

NATURAL RESOURCES CONSERVATION SERVICE

XXX 00/00/99

NITRATE LEACHING INDEX--Continued
Noble County, Indiana

Page 3 Of 3

| County | Mapunit Symbol | Mapunit Name | Compname | INN03 Leach Index |
|---------------|-------------------|-------------------------------------|------------|---------------------------|
| | | | | |
| | | | | |
| Noble County, | Re | Rensselaer loam | Rensselaer | 7 |
| Indiana | | | | |
| Noble County, | RsA | Riddles sandy loam, 0 to 2 percent | Riddles | 7 |
| Indiana | | slopes | | |
| Noble County, | RsB | Riddles sandy loam, 2 to 6 percent | Riddles | 7 |
| Indiana | | slopes | | |
| Noble County, | RsC2 | Riddles sandy loam, 6 to 12 percent | Riddles | 7 |
| Indiana | | slopes, eroded | | |
| Noble County, | RsD2 | Riddles sandy loam, 12 to 18 | Riddles | 7 |
| Indiana | | percent slopes, eroded | | |
| Noble County, | Se | Sebewa loam | Sebewa | 7 |
| Indiana | | | | |
| Noble County, | Sh | Shoals silt loam | Shoals | 4 |
| Indiana | | | | |
| Noble County, | To | Toledo silty clay loam | Toledo | 2 |
| Indiana | | | | |
| Noble County, | W | Water | Water | 0 |
| Indiana | | | | |
| Noble County, | Wa | Wallkill silt loam | Wallkill | 2 |
| Indiana | | | | |
| Noble County, | WrA | Warsaw loam, 0 to 2 percent slopes | Warsaw | 7 |
| Indiana | | | | |
| Noble County, | Ws | Washtenaw silt loam | Washtenaw | 4 |
| Indiana | | | | |
| Noble County, | Wt | Whitaker loam | Whitaker | 4 |
| Indiana | | | | |